PARENTERAL NUTRITION (PEDIATRIC) PRESCRIBER ORDER FORM								
Patient Name:								
Address:								
Date of Birth:			н	leight:	□ in □ cm	Weight:	🗆 lbs 🗆 kg	
			Clinical Informatio	-				
Primary Diagnosis Description:				ICD-10 Code	:			
Parenteral Nutrition Order								
Macronutrients			Electrolytes					
Amino Acids:	□ gm/day	□ gm/kg	Sodium Chloride:			🗌 mEq/day	🗆 mEq/kg	
Amino Acid Type:	<u></u>		Sodium Acetate:				□ mEq/kg	
Dextrose:			· · · · · · · · · · · · · · · · · · ·			🗆 mMol/day	□ mMol/kg	
Lipid: gm/day gm/kg						mEq/kg mEq/kg		
Lipid Type: days/week			Potassium Acetate: □ mEq/day □ mEq/kg Potassium Phosphate: □ mMol/day □ mMol/kg □ mMol/kg					
Total Volume: mL/kg/day						🗆 mEq/day	\square mEg/kg	
Infuse Over: hours/day							□ mEq/kg	
Taper Up: hour(s)			Additives					
Taper Down: hour(s)				Peds MVI			mL	
Total Calories: kcal/day			Trace Element Solution (1 mL/day): mL/day					
kcal/kg			Other Trace Elements:					
Other Additives:								
Infants	Children	Adolescents	Dosing Recommendati		s/Children	Adole	scents	
Protein (gm/kg/day) 2.5 to 3	1.5 to 2.5	0.8 to 2	Sodium		5 mEq/kg	1 to 2 r		
Dextrose (mg/kg/min) 10 to 14 8 to 10 5 to 6		5 to 6	Chloride				acid-base balance.	
Lipid (g/kg/day) 2.5 to 3 2 to 2.5		1 to 2	Potassium	2 to 4	1 mEq/kg		nEq/kg	
			Acetate	0 5 1 - 2	As needed to maintai			
			Phosphorus Magnesium		2 mMol/kg).5 mEq/kg	10 to 40 mMol/day 10 to 30 mEq/day		
			Calcium		4 mEq/kg	10 to 20 mEq/day		
Anticipated duration of therapy:			\Box months \Box wee	ks	· - · · ·			
Ancillary Orders								
IV Flush Orders PICC: 2 to 20 kg: 0.9% Sodium Chloride 1 mL pre-/post-use, 1 to 3 mL pre-/post-lab draw. Heparin (10 unit/mL) 1 to 3 mL post-use. For maintenance, heparin (10 unit/mL) 1 to 3 mL every 24 hr. > 20 kg: 0.9% Sodium Chloride 1 to 3 mL pre-/post-use, 3 to 5 mL pre-/post-lab draw. Heparin (10 unit/mL) 1 to 3 mL post-use. For maintenance, heparin (10 unit/mL) 1 to 3 mL every 24 hr. > Implanted Port: NS 1 to 3 mL pre-/post-use and 3 to 5 mL pre-/post-lab draw. Heparin (10 unit/mL) 3 to 5 mL post-use. For maintenance, heparin (10 unit/mL) 1 to 3 mL every 24 hr. NS 1 to 3 mL pre-/post-use and 3 to 5 mL pre-/post-lab draw. Heparin (10 unit/mL) 3 to 5 mL post-use. For maintenance, heparin (10 unit/mL) 3 to 5 mL every 24 hr. NS 1 to 3 mL pre-/post-use and 3 to 5 mL pre-/post-lab draw. Heparin (10 unit/mL) 3 to 5 mL post-use. For maintenance, heparin (10 unit/mL) 3 to 5 mL every 24 hr. Description 2 to 20 kg: 0.9% Sodium Chloride 1 to 3 mL pre-/post-use and pre-/post-lab draw. Heparin (10 unit/mL) 1 to 3 mL								
Lab Orders	> 20 kg mL pos	g: 0.9% Sodium st-use. For mai	nance, heparin (10 unit 1 Chloride 1 to 3 mL pre intenance, heparin (10 i iglycerides weekly	-/post-use, 3	3 to 5 mL pre-/post-lab	o draw. Heparin (10	unit/mL) 1 to 3	
CBC w/ diff, CMP (BMP + LFTs), magnesium, phosphorus, triglycerides weekly								
Other:								
Skilled nurse to assess, teach, and tra					•	-		
I certify that the use of the indicated treatment is medically necessary, and I will be supervising the patient's treatment.								
Prescriber Signature:						Date:		
			Prescriber Informati	on				
Prescriber Name:	Phone:		I	Fax:				
Address:			NPI:					
City, State: Zip:			Office Contact:					
Fax completed form, insurance information, and clinical documentation to:								
CONFIDENTIAL HEALTH INFORMATION: Healthch require authorization. You are obligated to maint obtained. Unauthorized re-disclosure or failure t person or entity to whom it is addressed and ma recipient, or the employee or agent responsible t received this message in error, please notify us in	tain it in a safe, secure, o maintain confidential y contain information t or delivering it to the i	and confidential ma ity could subject yo hat is privileged and ntended recipient, y	anner. Re-disclosure of this info u to penalties described in fede d confidential, the disclosure of you are hereby notified that any	ormation is proh eral and state lav which is govern	ibited unless permitted by law ws. IMPORTANT WARNING: red by applicable law. If the re	w or appropriate customer This message is intended eader of this message is no	/patient authorization is for the use of the it the intended	