

# VILTOLARSEN (VILTEP SO®) PRESCRIBER ORDER FORM

Fax completed form, insurance information, and clinical documentation to: **(410) 558-6439**



Patient Name:

Date of Birth:

Address:

Phone:

Height: \_\_\_\_\_  
 inches  cm

Weight: \_\_\_\_\_  lbs  kg  
Date weight obtained: \_\_\_\_\_

## Clinical Information

Primary Diagnosis Description: Duchenne muscular dystrophy (DMD)

ICD-10 Code: G71.01

Allergies:

## Viltolarsen (Vilteps o®) Prescription

Viltolarsen (Vilteps o®) refill as directed x 1 year

Infuse 80 mg/kg IV over 60 minutes every week (+/- 3 days to allow for patient/nurse scheduling).

Flush IV tubing with NS 10 to 20 mL after each infusion.

Prescriber will obtain weight for non-ambulatory patients and provide dose changes to pharmacy as needed. Prescriber will arrange monthly dipstick proteinuria monitoring.

## Ancillary Orders

### Anaphylaxis Kit

If this is a 1<sup>st</sup> infusion dose, would you like Option Care Health to provide an anaphylaxis kit with the 1<sup>st</sup> dose?

Yes  No

- Dosage:
- Epinephrine 0.3 mg (> 30 kg), 0.15 mg (15 to 30 kg), or 0.01 mg/kg (< 15 kg) SQ or IM x 1; repeat x 1 in 5 to 15 min PRN.
  - Diphenhydramine 25 mg (> 30 kg) or 1.25 mg/kg (≤ 30 kg) IV or IM; repeat x 1 in 15 min PRN no improvement.
  - Normal saline 500 mL (> 30 kg) or 250 mL (≤ 30 kg) IV at KVO rate PRN anaphylaxis. Patients ≤ 30 kg, infuse over 2 to 4 hours PRN headache rated > 5 on pain scale.

### Medication Orders

- Lidocaine/prilocaine 2.5%/2.5% (or equivalent) anesthetic cream 30 gm – apply topically 30 min prior to venipuncture or port access as needed for numbing.
- Other: \_\_\_\_\_

### IV Flush Orders

- Peripheral: NS 2 to 3 mL pre-/post-use.
- Implanted Port: NS 5 to 10 mL pre-/post-use and 10 to 20 mL pre-/post-lab draw. Heparin (100 unit/mL) 3 to 5 mL post-use. For maintenance, heparin (100 unit/mL) 3 to 5 mL every 24 hr if accessed or weekly to monthly if not accessed. If unable to obtain implanted port access, it is acceptable to establish a peripheral IV access and administer peripherally.

### Lab Orders

- Serum cystatin C and random urine protein-to-creatinine ratio every 3 months.
- No labs ordered at this time.
- Other: \_\_\_\_\_

Skilled nurse to assess and administer and/or teach self-administration, where appropriate, via access device as indicated above. Nurse will provide ongoing support as needed. Refill above ancillary orders as directed x 1 year.

*I certify that the use of the indicated treatment is medically necessary and I will be supervising the patient's treatment.*

Prescriber Signature: \_\_\_\_\_ Date: \_\_\_\_\_

## Prescriber Information

Prescriber Name:

Phone:

Fax:

Address:

NPI:

City, State:

Zip:

Office Contact:

**CONFIDENTIAL HEALTH INFORMATION:** Healthcare information is personal information related to a person's healthcare. It is being faxed to you after appropriate authorization or under circumstances that do not require authorization. You are obligated to maintain it in a safe, secure, and confidential manner. Re-disclosure of this information is prohibited unless permitted by law or appropriate customer/patient authorization is obtained. Unauthorized re-disclosure or failure to maintain confidentiality could subject you to penalties described in federal and state laws. **IMPORTANT WARNING:** This message is intended for the use of the person or entity to whom it is addressed and may contain information that is privileged and confidential, the disclosure of which is governed by applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this information is STRICTLY PROHIBITED. If you have received this message in error, please notify us immediately. Brand names are the property of their respective owners.